

GEE[®]

TRAMP

Owner's & User's Manual

Safety Information, Installation and Care & Maintenance Instructions

Trampoline Safety Skirt - All Sizes



Warning: A Safety Skirt is an important safety device, ensure correct assembly.

CONTENTS



1 x Safety Skirt 1x Pack of Bungee cords (or Elastic Straps attached to the skirt)

INSTALLATION

Installation can be done with one person but it is a lot easier and more ergonomic if done with two people.

Step 1

Undo the net straps from the bottom of the net, leave these hanging loose. This step is not mandatory, but it does make the safety skirt installation a lot easier and you will end up with a neater job.



Step 2

Place the safety skirt underneath the trampoline with the pockets facing outwards on the entrance side (Near ladder area).



Step 3

Identify the top of the safety skirt (Black loops). The safety skirt is one piece and can be fed from the ground up by lifting the trampoline legs up one at a time and sliding underneath until the whole skirt is on the outside of all the legs. Check the Pockets are centred between the poles.



Step 4

Pull the skirt up to the mat frame rail. If your skirt has elastic straps - these can be tied off to the frame, be mindful that the knot may need to be untied one day.

If your skirt has Bungee cords - thread the bungee through the black loops



Step 5

Thread the bungee around the frame and engage the bungee head, complete this until all tie points are completed. Be sure to turn the bungee head to the inside of the trampoline for the best finish.



Step 6

If your skirt has tie offs at the bottom, tie off to the leg bottoms. Reconnect all your net straps and your assembly is complete.

