



# Owner's & User's Manual

Safety Information, Installation and Care & Maintenance Instructions.

## Rectangle Trampoline Sun Shade Cover

Sun Shade Cover hereafter known as "cover"

### SAFETY INFORMATION

Failure to follow these warnings may result in product damage or injury.

- **Weather Conditions:** The cover is an additional large surface area that is now attached to the trampoline, this increases the "sail" effect. It **MUST** be removed before any inclement weather, including gusty winds, storms, or heavy rain. Wind can exert extreme force on the upper net rail and poles if the **cover** is left attached.
- **No Water Pooling:** Ensure the cover is installed taut. It comes with some drain holes which assist minimising excess water load on the **cover**/trampoline. Remove the **cover** immediately if the drainage holes are not clearing water quick enough to prevent weight-related damage to the cover or your net structure.
- **Installation Height:** This **cover** is designed to sit level with the top of your trampoline enclosure. Do not jump high enough to contact the **cover**, to avoid the possibility of contact or potential injury.
- **Supervision:** Always supervise children while the **cover** is in use. The "One Jumper at a Time" rule is even more critical when an overhead obstruction is present.
- **Not a full Weather Cover:** This is designed primarily to provide some protection; it is unable to cover all sun angles and natural gaps in the equipment so be aware of these limitations. It's not designed to cover all weather coverage requirements, e.g. winter, tree debris etc. Do not leave it on the trampoline when the trampoline is not in active use for long periods.

### PARTS LIST

Before beginning assembly, ensure you have the following:

- 1 x Heavy-duty **Cover** (with reinforced edges and brass eyelets)
- 1 **Set** of UV-resistant Bungee Cords

# INSTALLATION

*Note: Assembly can be done with one person however it is a bit easier with two people.*

## Step 1: Preparation

Ensure your GeeTramp rectangle trampoline is fully assembled, and the fixed upper net rail is secure. Clear the jumping mat of any debris. You can work within the net enclosure to install the **cover** or alternatively work from a step ladder from outside the trampoline perimeter, either way take care to prevent falls.

### Bungee cord attachment locations

The cover attachment points are designed to line up with where the natural upper net rail sleeve joins are, as shown.



## Step 2: Position the cover

- Unfold the **cover** on the trampoline mat, the “finished side will be topside”. This is so the re-enforced edge/stitching side will end up to the underside once attached. Identify the long and short sides to match your trampoline’s dimensions.

## Step 3: Secure the Corners

1. Lift one corner of the **cover** toward the upper net rail.
2. Thread a bungee cord through the **corner brass eyelet**.



3. Loop the bungee cord over the **fixed upper net rail** sleeve gap and secure it back onto itself (the bungee plastic head locks it in place). If the corner has two eyelets, then install both bungees, The plastic head of the bungee should end up on the top side and as close to the eyelet as possible as shown:

### Step 3: Secure the Corners (cont.)

4. Move to the **diagonally opposite corner** and repeat the process. Pull the material firm before securing the bungee.
5. Secure the remaining two corners. The **cover** should now be hanging level across the top of the enclosure.

### Step 5: Perimeter Attachment

1. Working your way around the perimeter, thread bungee cords through the remaining brass eyelets and attach to the upper net rail

#### Pro Tip:

Space the tension evenly by installing one bungee then installing the next one directly on the opposite side. The **cover** should end up being stretched taut like a drum to prevent sagging and minimize wind flap.



**Note:** This manual covers different models so your bungee cord locations may differ to this image.

## CARE & MAINTENANCE

- **Cleaning:** Use a soft brush and only water to remove bird droppings or dirt. Rinse thoroughly with a hose. For stubborn items, use mild soapy water mix and flush thoroughly. Do not use harsh chemicals.
- **Inspection:** Before each use, check the bungee cords for signs of fraying or loss of elasticity. Ensure the brass eyelets remain securely seated in the reinforced edge.
- **Storage:** When removed for harsh weather or winter, ensure the **cover** is completely dry before folding to prevent mold and mildew. Store in a cool, dry place.